

### Bid Document

<b>Bid Details</b>	
<b>Bid End Date/Time</b>	26-11-2022 10:00:00
<b>Bid Opening Date/Time</b>	26-11-2022 10:30:00
<b>Bid Offer Validity (From End Date)</b>	65 (Days)
<b>Ministry/State Name</b>	Pmo
<b>Department Name</b>	Department Of Atomic Energy
<b>Organisation Name</b>	Uranium Corporation Of India Limited
<b>Office Name</b>	Kadapa
<b>Total Quantity</b>	24
<b>Item Category</b>	Steel Tables-IS: 8126 (Q3) , Modular Extendable Conference Table (Q3) , Revolving Chair (Version 2) (Q3) , Executive Table (Q3)
<b>Years of Past Experience Required for same/similar service</b>	1 Year (s)
<b>MSE Exemption for Years Of Experience</b>	Yes
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Document required from seller</b>	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled</b>	No
<b>Primary product category</b>	Modular Extendable Conference Table
<b>Time allowed for Technical Clarifications during technical evaluation</b>	3 Days
<b>Evaluation Method</b>	Total value wise evaluation

**EMD Detail**

Required	No
----------	----

**ePBG Detail**

Required	No
----------	----

**Splitting**

Bid splitting not applied.

**Reserved for Make In India products**

Reserved for Make In India products	Yes
-------------------------------------	-----

**MSE Purchase Preference**

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**Steel Tables-IS: 8126 ( 1 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

## Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.6 mm M S Sheet (Not as per IS 8126)
GENERIC	<b>Storage</b>	both side
	<b>Total Number of Storage Units</b>	five storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	<b>Table Top Length +/- 10(mm)</b>	1660.0
	<b>Table Top Width +/-10(mm)</b>	900.0
	<b>Table Height +/-5(mm)</b>	760.0
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	600.0
	<b>Width of Locker / Cupboard type Storage unit</b>	350 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	600 mm
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Green guard certification</b>	NO
WARANTEE	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

### Steel Tables-IS: 8126 ( 10 pieces )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.8 mm M S sheet
GENERIC	<b>Storage</b>	one side
	<b>Total Number of Storage Units</b>	single storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	25 mm thick MDF Board.
	<b>Padestal (Under structure)</b>	Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm
	<b>Table Top Length +/- 10(mm)</b>	1190.0
	<b>Table Top Width +/-10(mm)</b>	600.0
	<b>Table Height +/-5(mm)</b>	735.0
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	355.0
	<b>Width of Locker / Cupboard type Storage unit</b>	N.A
	<b>Depth of Locker / Cupboard type Storage unit</b>	N.A
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA certification</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
WARANTEE	WARRANTY PERIOD IN NUMBER OF YEARS	1

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	10	45

#### Modular Extendable Conference Table ( 1 per seat )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>SELLING UNIT</b>	SELLING UNIT IS PER SEAT. SELLER TO OFFER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	<b>Type of Seating Offered</b>	Single Seating, Dual Seating
	<b>Top Fixing</b>	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	<b>Number of single seater</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	<b>Number of dual seater</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	<b>Number of corners for work top</b>	1, 2, 3, 4

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Mode of Supply of modular table</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	<b>Material of work top <math>\pm 3</math> mm</b>	25mm Other Wood
	<b>Table top plain side</b>	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	<b>Material of Gable end and modesty panel <math>\pm 3</math> mm</b>	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III
DIMENSION	<b>Length of Each Seat of Work Top <math>\pm 20</math> mm</b>	675 mm for single AND 1350 mm For dual
	<b>Depth of Work Top <math>\pm 20</math> mm</b>	600 mm
	<b>Height of Work Top <math>\pm 20</math> mm</b>	750 mm
COLOUR & FINISH	<b>Table top finish</b>	Membrane Finish
WARANTY	<b>Warranty period in number of years</b>	1
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Product having BIFMA certification</b>	NO

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

**Steel Tables-IS: 8126 ( 7 pieces )****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.6 mm M S Sheet (Not as per IS 8126)
GENERIC	<b>Storage</b>	both side
	<b>Total Number of Storage Units</b>	five storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	<b>Table Top Length +/- 10(mm)</b>	1360.0
	<b>Table Top Width +/-10(mm)</b>	690.0
	<b>Table Height +/-5(mm)</b>	735.0
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	600.0
	<b>Width of Locker / Cupboard type Storage unit</b>	350 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	600 mm
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Green guard certification</b>	NO
WARANTEE	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	7	45

**Revolving Chair (Version 2) ( 2 pieces )****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERAL REQUIREMENT	<b>Chair mechanism</b>	Knee tilt Synchronic mechanism
	<b>Type of locking</b>	4-Position Locking
	<b>Number of arm movement</b>	2 (Up and Down)
MATERIAL	<b>Pedestal Base</b>	Glass Fiber Nylon
	<b>Armrest Material</b>	Polypropylene
	<b>Seat material</b>	Pressed and moulded with PU foam
	<b>Backrest is made of</b>	One piece injection moulded frame
	<b>Density of PU foam used in seat KG per Cu Meter (± 3)</b>	45
	<b>Density of PU foam used in backrest in KG per Cu Meter (±3)</b>	N.A
	<b>Backrest upholstered with</b>	Mesh Fabric
	<b>Seat upholstered with</b>	100% polyester fabric
	<b>GSM/Thickness of fabric ±5%(Gram/Square meter)</b>	220 gram
DIMENSION	<b>Overall width (±10 mm)</b>	750 mm
	<b>Backrest Height ±15 mm</b>	650 mm
	<b>Backrest Width ±10 mm</b>	440 mm
	<b>Seat Height ±10 mm</b>	440 mm
	<b>Seat Width ±10 mm</b>	460 mm



Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Depth $\pm 10$ mm	480 mm
	Thickness of MS Plate Joining the under structure with Seat	1.2 mm
	Thickness of Plywood used in Seat $\pm 1$ (mm)	12 mm
	Thickness of Plywood used in Backrest $\pm 1$ (mm)	N.A
	Pedestal Size (Diameter in mm) $\pm 10$ mm	650 mm
	Thickness of Polyurethane Foam Used in Seat in mm ( $\pm 2$ mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest in mm( $\pm 2$ mm)	N.A
WARRANTY	Warranty period in number of years	1-year

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	2	45

#### Revolving Chair (Version 2) ( 1 pieces )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERAL REQUIREMENT	Chair mechanism	Only Revolving without tilting mechanism

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Type of locking</b>	Upright locking
	<b>Number of arm movement</b>	N.A
MATERIAL	<b>Pedestal Base</b>	MS powder coated
	<b>Armrest Material</b>	Polypropylene
	<b>Seat material</b>	Pressed and moulded with PU foam
	<b>Backrest is made of</b>	One piece hot pressed plywood with PU foam
	<b>Density of PU foam used in seat KG per Cu Meter (<math>\pm 3</math>)</b>	45
	<b>Density of PU foam used in backrest in KG per Cu Meter (<math>\pm 3</math>)</b>	45
	<b>Backrest upholstered with</b>	100% Polyester Fabric
	<b>Seat upholstered with</b>	100% polyester fabric
	<b>GSM/Thickness of fabric <math>\pm 5\%</math>(Gram/Square meter)</b>	220 gram
	DIMENSION	<b>Overall width (<math>\pm 10</math> mm)</b>
<b>Backrest Height <math>\pm 15</math> mm</b>		460 mm
<b>Backrest Width <math>\pm 10</math> mm</b>		410 mm
<b>Seat Height <math>\pm 10</math> mm</b>		440 mm
<b>Seat Width <math>\pm 10</math> mm</b>		460 mm
<b>Seat Depth <math>\pm 10</math> mm</b>		480 mm
<b>Thickness of MS Plate Joining the under structure with Seat</b>		2.5 mm
<b>Thickness of Plywood used in Seat <math>\pm 1</math>(mm)</b>		12 mm
<b>Thickness of Plywood used in Backrest <math>\pm 1</math>(mm)</b>		12 mm
<b>Pedestal Size (Diameter in mm) <math>\pm 10</math> mm</b>		600 mm
<b>Thickness of Polyurethane Foam Used in Seat in mm (<math>\pm 2</math> mm)</b>		45 mm
<b>Thickness of Polyurethane Foam Used in Backrest in mm(<math>\pm 2</math> mm)</b>		35 mm
WARRANTY		<b>Warranty period in number of years</b>

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

**Executive Table ( 2 pieces )****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Storage provided</b>	Both side
	<b>Keyboard tray</b>	Not provided
	<b>Foot rest</b>	Not Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	NO LEGS
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	25.0
	<b>Length of table top <math>\pm 10</math> mm</b>	1800.0
	<b>Depth of table <math>\pm 10</math> mm</b>	900.0
	<b>Height of table <math>\pm 10</math> mm</b>	725.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	Double storage
FOOTREST	<b>Material thickness of footrest <math>\pm 2</math>mm</b>	N.A
WARRANTY	<b>Warrantee period in number of years</b>	1

Specification	Specification Name	Bid Requirement (Allowed Values)
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	2	45

#### Buyer Added Bid Specific Terms and Conditions

**1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

## Pre Qualification Criteria

- a) Bidder should have a valid GST registration and should submit a copy of it along with part-1 of their offer, failing which their offer shall be rejected.
- b) Bidder should be manufacturer of Godrej Make (or) their authorized dealer. Authorized dealer should submit valid

authorization certificate along with part-1 of their offer, failing which their offer shall be rejected.

- c) Bidder should submit previous purchase order copies as a proof of being supplied similar items to any of the company during the current (or) last 03 financial years ending with 31.03.2022 along with part-1 of their offer, failing which their offer shall be rejected.

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**