



Bid Number: GEM/2022/B/2391552

Dated: 28-07-2022

Bid Document

Bid Details	
Bid End Date/Time	17-08-2022 17:00:00
Bid Opening Date/Time	17-08-2022 17:30:00
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Uranium Corporation Of India Limited
Office Name	Kadapa
Total Quantity	33
Item Category	Steel Tables-IS: 8126 (Q3) , Meeting Table (Q3) , Chairs-Office- IS 3499 (Q3) , Almirah Steel-IS:3312 (Q3)
Years of Past Experience Required for same/similar service	1 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Chairs-Office- IS 3499
Time allowed for Technical Clarifications during technical evaluation	3 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Steel Tables-IS: 8126 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage

Specification	Specification Name	Bid Requirement (Allowed Values)
	Table Top Material and Thickness (+/- 2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
	Table Top Length +/- 10(mm)	1500.0
	Table Top Width +/-10(mm)	750.0
	Table Height +/-5(mm)	725.0
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
WARANTEE	WARRANTY PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

Meeting Table (4 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material of Table Top	Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest
GENERIC	Seating Capacity	6 SEATER
DIMENSION	Length in mm (Select NA in case of Round Table) ±10(mm)	1850
	Width in mm (Diameter in case of Round Table)±10(mm)	900
	Thickness of Top ±2(mm)	25, 30, 35, 45, 33 Or higher
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	4	45

Chairs-Office- IS 3499 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	hot pressed board

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Fabric Back Cover	leather foam
	Frame Material	STAINLESS STEEL
	Material of Fabric of Seat Cover	Black leatherite
	Thickness of Plywood used in Seat ±1(mm)	35 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	250 Gram per Sq Meter
	Arm Material	Polyurethane on metal
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	50 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	40 mm
GENERIC	Chair Type	With Arms
	Type of Seat and Backrest	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene
	Frame Type	Cantilever
	Castors	Without
DIMENSION	Size of Material (mm)	armrest supports dia. 25 mm X 1.6 mm thick and frame of dia. 25 mm X 2 mm thick
	Chair Height ±15(mm)	800 mm
	Seat Depth ±10(mm)	450 mm
	Seat Width ±10 (mm)	450 mm
	Seat Height IN MM ±5(mm)	430
	Backrest Width ±10(mm)	430 mm
	Backrest Height ±10(mm)	400 mm
	Arm Length ±5(mm)	250 mm
	Arm Width ±2(mm)	50 mm
COLOUR & FINISH	Paint Type	powder coated on MS
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 18001:2007 certified	NO
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

Chairs-Office- IS 3499 (20 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	hot pressed board
	Material of Fabric Back Cover	polyster
	Frame Material	Crca ERW round pipe
	Material of Fabric of Seat Cover	fabric
	Thickness of Plywood used in Seat ± 1 (mm)	18 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	250 Gram per Sq Meter
	Arm Material	CRCA pipe
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	25 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	30 mm
GENERIC	Chair Type	With Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam
	Frame Type	Cantilever
	Castors	Without
DIMENSION	Size of Material (mm)	2 mm thick 25 mm tube
	Chair Height ±15(mm)	800 mm
	Seat Depth ±10(mm)	430 mm
	Seat Width ±10 (mm)	470 mm
	Seat Height IN MM ±5(mm)	430
	Backrest Width ±10(mm)	500 mm
	Backrest Height ±10(mm)	400 mm
	Arm Length ±5(mm)	N.A
	Arm Width ±2(mm)	75 mm, N.A
COLOUR & FINISH	Paint Type	powder coated on MS
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	20	45

Almirah Steel-IS:3312 (3 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	N.A
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.7 mm
	Sheet Thickness of Pedestal in mm	1.0 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2

Specification	Specification Name	Bid Requirement (Allowed Values)
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	486.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	125 mm
	Thickness of MS Sheet of Stiffner	0.6 mm
	Stiffened Pedestal height in mm (± 2 mm)	125
	Pedestal Width in mm (± 2 mm)	75
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	3	45

Almirah Steel-IS:3312 (4 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	780 mm
	Width of Glass Sheet (+/- 10 mm)	305 mm
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.7 mm
	Sheet Thickness of Pedestal in mm	1.0 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2

Specification	Specification Name	Bid Requirement (Allowed Values)
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	4
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	486.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	N.A
	Thickness of MS Sheet of Stiffner	N.A
	Stiffened Pedestal height in mm (± 2 mm)	120
	Pedestal Width in mm (± 2 mm)	75
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	4	45

Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Pre Qualification Criteria

- a) Bidder should be manufacturer of Godrej (or) their authorized dealer/ Distributor,. Authorized dealer/ Distributor should submit valid authorization certificate along with part-1 of their offer, Failing which their offer shall be rejected.
- b) Bidder should mention make & model along with technical specifications in technical bid, failing which their offer shall be rejected.
- c) Bidder should have GST registration and should submit a copy of it, Failing which their offer shall be rejected.
- d) Bidder should submit previous purchase order copies a/ invoices/ supply request copies as a proof of being supplied similar

items to any company during the current/ last 03 financial years ending with 31.03.2022 along with part-1 of their offer, failing which their offer shall be rejected.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---