

Bid Number: GEM/2022/B/2313610

Dated: 02-07-2022

Bid Document

, PCC 136 , RCC 124 , RCC 1153 , Steel Reinforcement Brick work in Substructure , Brick work in Superstructu RR Masonary in foundation , RR Masonary in Superstru , 15 mm Cement Plaster Rough 1 ratio 6 , 15 mm Ceme Plaster redoxide 1 ratio 4 , 15 mm Cement Plaster cement punning 1 ratio 4 , 12 mm Cement Plaster cement pun ratio 4 , 40mm thick cement concrete flooring , shutter for concrete works to anywhere at any floor foundation shuttering for concrete works to anywhere at any floor plinth beam , Structural steel work , steel glazed doors windows and ventilators , flush door shutters , MS slidit door , aluminium tower bolts , white cement based put average thickness1 mm , Acrylic Smooth exterior paint White washing with lime , Supply and installation of PD Laying of 3 and half Core by 50 sq mm cable , 4 sq mm standard copper , 1point5 sq mm standard copper conductor , 2sq mm standard copper conductor , casin caping of size half inch , indoor and out door tube light fittings , Boards with sunmica top , ceiling fan , 1point5 AC , MCB and metal socket of capacity 20 amps , earth					
Bid Opening Date/Time Bid Offer Validity (From End Date) Bid Offer Validity (From End Date) Ministry/State Name Department Name Department Of Atomic Energy Organisation Name Uranium Corporation Of India Limited Office Name Total Quantity Desartment Plaster Rough 1 ratio 6, 15 mm Cement Plaster Rough 1 ratio 6, 15 mm Cement Plaster Rough 1 ratio 6, 15 mm Cement Plaster redoxide 1 ratio 4, 15 mm Cement Plaster cement pun ratio 4, 40mm thick cement concrete flooring, shutter for concrete works to anywhere at any floor plinth beam, Structural steel work, steel glazed doors windows and ventilators, flush door shutters, MS slidit door, aluminium tower botts, white cement beased put average thickness1 mm, Acrylic Smooth exterior paint White washing with lime, Supply and installation of PD Laying of 3 and half Core by 50 sq mm standard copper conductor, casin caping of size half inch, indoor and out door tube light fittings, Boards with summica top, ceiling fan, 1 pointt AC, MCB and metal socket of capacity 20 amps, earth AC, MCB and metal socket of capacity 20 amps, earth MSE Exemption for Years of Experience and Turnover Startup Exemption for Years of Experience	1	Bid Details			
Bid Offer Validity (From End Date) Ministry/State Name Department Name Department Of Atomic Energy Organisation Name Uranium Corporation Of India Limited Office Name Total Quantity Description of Substructure, Brick work in Superstructure, 15 mm Cement Plaster Rough I ratio 6, 15 mm Cement Plaster Rough I ratio 6, 15 mm Cement Plaster redoxide 1 ratio 4, 15 mm Cement Plaster redoxide 1 ratio 4, 15 mm Cement Plaster redoxide 1 ratio 4, 40mm thick cement concrete flooring, shutter for concrete works to anywhere at any floor plinth beam, Structural steel work, steel glazed doors windows and ventilators, flush door shutters, MS slidit door, aluminium tower bolts, white cement based put average thickness1 mm, Acrylic Smooth exterior paint White washing with lime, Supply and installation of PD Laying of 3 and half Core by 50 sq mm cable, 4 sq mm standard copper conductor, 2sq	Bid End Date/Time	23-07-2022 17:00:00			
Ministry/State Name Pmo	Bid Opening Date/Time	23-07-2022 17:30:00			
Department Name Organisation Name Uranium Corporation Of India Limited Office Name Jaduguda Total Quantity Department Office Name Josepha Rec 124 , RCC 1153 , Steel Reinforcement Prick work in Substructure , Brick work in Superstructure RR Masonary in foundation , RR Masonary in Superstructure RR Masonary in Indundation , RR Masonary in Superstructure and the prick work in Substructure and the prick work in Superstructure and the prick work in	Bid Offer Validity (From End Date)	65 (Days)			
Organisation Name Office Name Jaduguda Total Quantity Description of India Limited Jaduguda Total Quantity Description of India Limited Jaduguda Total Quantity Description of India Limited Jaduguda Jaduguda Jessen Hilling with learth , Filling with Sand and Tail , PCC 136, RCC 124 , RCC 1153 , Steel Reinforcement by Superstructure , Brick work in Superstructure , Brick work	Ministry/State Name	Pmo			
Total Quantity Searthwork Filling with earth Filling with Sand and Tai PCC 136 RCC 124 RCC 1153 Steel Reinforcement Brick work in Substructure Brick work in Superstructure RR Masonary in foundation RR Masonary in Superstructure Remains Remai	Department Name	Department Of Atomic Energy			
Total Quantity Earthwork	Organisation Name	Uranium Corporation Of India Limited			
Earthwork , Filling with earth , Filling with Sand and Tai , PCC 136 , RCC 124 , RCC 1153 , Steel Reinforcement Brick work in Substructure , Brick work in Superstructure , RR Masonary in foundation , RR Masonary in Superstru , 15 mm Cement Plaster Rough 1 ratio 6 , 15 mm Ceme Plaster redoxide 1 ratio 4 , 15 mm Cement Plaster cement pun ratio 4 , 40mm thick cement concrete flooring , shutter for concrete works to anywhere at any floor foundation shuttering for concrete works to anywhere at any floor plinth beam , Structural steel work , steel glazed doors windows and ventilators , flush door shutters , MS sliding door , aluminium tower bolts , white cement based put average thickness1 mm , Acrylic Smooth exterior paint White washing with lime , Supply and installation of PD Laying of 3 and half Core by 50 sq mm cable , 4 sq mm standard copper , 1point5 sq mm standard copper conductor , 2sq mm standard copper condu	Office Name	Jaduguda			
, PCC 136 , RCC 124 , RCC 1153 , Steel Reinforcement Brick work in Substructure , Brick work in Superstructure , RR Masonary in foundation , RR Masonary in Superstructure , 15 mm Cement Plaster Rough 1 ratio 6 , 15 mm Cement Plaster redoxide 1 ratio 4 , 15 mm Cement Plaster cement punning 1 ratio 4 , 12 mm Cement Plaster cement pun ratio 4 , 40mm thick cement concrete flooring , shutter for concrete works to anywhere at any floor foundation shuttering for concrete works to anywhere at any floor plinth beam , Structural steel work , steel glazed doors windows and ventilators , flush door shutters , MS slidin door , aluminium tower bolts , white cement based put average thickness1 mm , Acrylic Smooth exterior paint White washing with lime , Supply and installation of PD Laying of 3 and half Core by 50 sq mm cable , 4 sq mm standard copper , 1point5 sq mm standard copper conductor , 2sq mm standard copper conductor , casin caping of size half inch , indoor and out door tube light fittings , Boards with sunmica top , ceiling fan , 1point5 AC , MCB and metal socket of capacity 20 amps , earth BOQ Title FABRICATION OF MODEL HOUSE MADE UP OF URANIUM TAILINGS FOR ASSESSMENT OF RADIATION DOSE Minimum Average Annual Turnover of the bidder (For 3 Years) MSE Exemption for Years of Experience and Turnover Startup Exemption for Years of Experience	Total Quantity	10597			
Minimum Average Annual Turnover of the bidder (For 3 Years) MSE Exemption for Years of Experience and Turnover Startup Exemption for Years of Experience No	Item Category	Earthwork , Filling with earth , Filling with Sand and Tailings , PCC 136 , RCC 124 , RCC 1153 , Steel Reinforcement , Brick work in Substructure , Brick work in Superstructure , RR Masonary in foundation , RR Masonary in Superstructure , 15 mm Cement Plaster Rough 1 ratio 6 , 15 mm Cement Plaster redoxide 1 ratio 4 , 15 mm Cement Plaster cement punning 1 ratio 4 , 12 mm Cement Plaster cement punning 1 ratio 4 , 12 mm Cement Plaster cement punning for concrete works to anywhere at any floor foundation , shuttering for concrete works to anywhere at any floor plinth beam , Structural steel work , steel glazed doors windows and ventilators , flush door shutters , MS sliding door , aluminium tower bolts , white cement based putty of average thickness1 mm , Acrylic Smooth exterior paint , White washing with lime , Supply and installation of PDB , Laying of 3 and half Core by 50 sq mm cable , 4 sq mm standard copper , 1point5 sq mm standard copper conductor , 2sq mm standard copper conductor , casing caping of size half inch , indoor and out door tube light fittings , Boards with sunmica top , ceiling fan , 1point5 Ton AC , MCB and metal socket of capacity 20 amps , earth pit			
bidder (For 3 Years) MSE Exemption for Years of Experience and Turnover Startup Exemption for Years of Experience No	BOQ Title	FABRICATION OF MODEL HOUSE MADE UP OF URANIUM TAILINGS FOR ASSESSMENT OF RADIATION DOSE			
Startup Exemption for Years of Experience No.		10 Lakh (s)			
	- INO				
		No			
Turnover Criteria, the supporting documents to prove h	Document required from seller	Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by			

Bid Details		
Past Performance 80 %		
Bid to RA enabled	No	
Primary product category RCC 124		
Time allowed for Technical Clarifications during technical evaluation 2 Days		
Estimated Bid Value 3491790		
Evaluation Method Total value wise evaluation		

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	34918

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	8

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

CHIEF MANAGER ACCOUNTS

JADUGUDA, Department of Atomic Energy, URANIUM CORPORATION OF INDIA LIMITED, PMO (Chief Manager Accounts)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes

MSE Purchase Preference

MSE Purchase Preference	Yes
1	1 . 55

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st

March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

- 2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
- 4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Earthwork

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
Technical Specifications	
Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	170	180

Filling With Earth

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Tyne	Unbranded
Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	90	180

Filling With Sand And Tailings

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	35	180

PCC 136

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	54	180

RCC 124

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Drand Tune	Linkrandad
Brand Type	Unbranded
1	

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S	5.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1		Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	30	180

RCC 1153

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	54	180

Steel Reinforcement

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
	1

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	5100	180

Brick Work In Substructure

Brand Type Unbranded	
----------------------	--

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	43	180

Brick Work In Superstructure

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

	S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
--	-------	---------------------------------	---------	----------	---------------

S	.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1		Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	20	180

RR Masonary In Foundation

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
l '	1

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	40	180

RR Masonary In Superstructure

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	80	180

15 Mm Cement Plaster Rough 1 Ratio 6

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
	I .

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	560	180

15 Mm Cement Plaster Redoxide 1 Ratio 4

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	750	180

15 Mm Cement Plaster Cement Punning 1 Ratio 4

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	100	180

12 Mm Cement Plaster Cement Punning 1 Ratio 4

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Tune	Unbranded
Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	50	180

40mm Thick Cement Concrete Flooring

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
12.0	

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	21	180

Shuttering For Concrete Works To Anywhere At Any Floor Foundation

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
31	

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	210	180

Shuttering For Concrete Works To Anywhere At Any Floor Plinth Beam

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	360	180

Structural Steel Work

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
Brana Type	Olibranaca

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulahh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	200	180

Steel Glazed Doors Windows And Ventilators

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	200	180

Flush Door Shutters

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Due and True	Underson de d
Brand Type	Unbranded

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	18	180

MS Sliding Door

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
	1

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	8	180

Aluminium Tower Bolts

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	32	180

White Cement Based Putty Of Average Thickness1 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	500	180

Acrylic Smooth Exterior Paint

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	500	180

White Washing With Lime

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
12.0	

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	270	180

Supply And Installation Of PDB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
1	51.51.61.65

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	1	180

Laying Of 3 And Half Core By 50 Sq Mm Cable

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	50	180

4 Sq Mm Standard Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
Brana Type	Onbranaca

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
-------	---------------------------------	---------	----------	---------------

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	100	180

1point5 Sq Mm Standard Copper Conductor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
1	I .

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	300	180

2sq Mm Standard Copper Conductor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

П			1
	Brand Type	Unbranded	
	Brand Type	Unbranded	

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	300	180

Casing Caping Of Size Half Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	300	180

Indoor And Out Door Tube Light Fittings

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	20	180

Boards With Sunmica Top

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
71.	

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	8	180

Ceiling Fan

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded

Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	6	180

1point5 Ton AC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

п			
	Brand Type	Unbranded	

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	3	180

MCB And Metal Socket Of Capacity 20 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
	1

Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Address Quantity	
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	8	180

Earth Pit

Brand Type	Unbranded
------------	-----------

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	6	180

Buyer Added Bid Specific Terms and Conditions

1. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name URANIUM CORPORATION OF INDIA LIMITED Account No. 33135840169 IFSC Code SBIN0000227 Bank Name STATE BANK OF INDIA Branch address JADUGUDA.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

The eligible criteria to qualify in Techno commercial Part are as below:-

- 1. Average Annual financial turnover during the last 3(Three) consecutive financial years, ending **31/03/2021** shall be at least **30% (10.48 lakhs)** of the estimated cost supported by the audited annual accounts of each year.
- 2. Bidder shall have successfully completed similar works during last **07 (Seven)** years ending on **31.03.2022** as per any one of following:
 - a) Three(3) similar completed works costing not less than the amount equal to **40%** (13.97 lakhs) of the estimated cost

or

b) Two (2) similar completed works costing not less than the amount equal to **50% (17.46 lakhs)** of the estimated cost

c) One (1) similar completed works costing not less than the amount equal to **80% (27.93 lakhs)** of the estimated cost.

The corporation may request to the bidder to visit the proposed work site to well acquaint about the site work before filling the rate /submit the tender

- 3. Bidders must attach Work done certificate mentioned executed amount and date of completion.
- 4. Similar works means Experience in "Construction of any Building with all kind of work related to Civil and Electrical."
- 5 . <u>SOQ- Biidder must go through detailed description mentioned below before quoting the rate in CSV Format.</u>

SCHEDULE OF QUANTITY

Name of work: "Fabrication of Model house made up of Uranium Tailings for assesment of radiation dose due to gamma radiation and radon Health Physics Unit, Jaduguda"

SL. No.	Description Of Item	Qua ntity	Uni t
1	Earth work in excavation in foundation trenches, pits and area not exceeding 10 SM on plain etc. in all types of soil mixed with gravel etc. depth of 1.50M including cleaning of bushes and shrubs from ground level including ramming dressing the side and preparing the bed for foundation, dewatering etc. all complete as per instruction of Engineer-in-charge. All kinds of soil.	170. 00	cu m
2	Filling available excavated earth in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 M and lift upto 1.50 M.	90.0	cu m

3	Filling in plinth with Sand and Tailings (1:1) under floors, including watering, ramming, consolidating and dressing complete.	35.0 0	cu m	
---	---	-----------	---------	--

	Providing and laying plain Cement concrete		
	1:3:6-[1C:3S(0.6S+2.4T):		
	(6WR)]/		
	1:3:6-		
	[1C:3S(1.5S+1.5T):		
	(6WR)]/		
4	1:3:6-	54.00	cu
	[1C:3S(2.25S+0.75T):(6WR)] in		m
	foundation, Plinth wherever necessary		
	including desalinating, finishing, Curing etc. as per specification all		
	complete but excluding the cost of		
	centering and shuttering		
	etc. [C-		
	Cement, S-Sand,T-Tailings,WR-		
	Waste Rock 40mm Size and down]		

5	Providing and laying in position cement Concrete of specified grade excluding the cost of centering and shuttering, All work up to plinth level 1:2:4[1C:2S(0.4S+1.6T): (4WR)]/	30.00	Cu m
6	Providing and laying reinforced c e m e n t Concrete work 1:1.5:3-[1C: (0.3S+1.2T): (3WR)]/ 1:1.5:3-[1C: (0.75S+0.75T): (3 W R)] / 1:1.5:3[1C:(1.125S+0.375T): (3WR)] including machine mixing, placing in position and mechanically vibrating in columns, pillars etc. to any level and anywhere and like including preparing of the top surface finishing curing etc. complete in all respects as per specification and direction. [C-Cement,S-Sand,T-Tailings,WR-Waste Rock 20mm Size and down]	54.00	Cu m

7	Steel reinforcement (for reinforced cement concrete work) including transporting, decoiling, straightening, derusting, placing, cutting to requiste length, hooking, bending to correct shape, placing in proper position and binding with 16 gauge black annealed wire at every intersection including removal of loos rust and applying a coat of cement wash if necessary, complete in all respects as per drawing and as directed.	5100.00	Kg
	Providing and laying 1st class brick work with bricks of class designation 75 in foundation and plinth in cement mortar 1:6-[1C:6S(1.2S+4.8T)]/		
8	1:6- [1C:6S(3S+3T)]/	43.00	Cu m
	1:6- [1C:6S(4.5S+1.5T)]		
	including all complete as per specification drawing and direction of the Engineer-in-charge.[C-Cement,S-Sand,T-Tailings]		

	Providing and laying best quality brick work in Super- structure upto floor I e v e I in mix ratio of - 1:6-[1C:6S(1.2S+4.8T)]/		
9	1:6- [1C:6S(3S+3T)]/	20.00	Cu m
	1:6-[1C:6S(4.5S+1.5T)] including curing scaffolding, shuttering etc. all complete. All materials including cement etc. to be supplied by the contractor. [C-Cement,S-Sand,T- Tailings]		

10	Providing and laying Random rubble masonry with hard stone in Cement mortar 1:6- [1C:6S(1.2S+4.8T)]/ 1:6-[1C:6S(3S+3T)]/ 1:6-[1C:6S(4.5S+1.5T)] in foundation and plinth including levelling up with cement concrete 1:6:12, upto plinth level including all complete as per specification and direction of the Engineer-in-Charge.	40.00	Cu m
	[C-Cement,S-Sand,T-Tailings] Providing and laying Random rubble masonry with hard stone in Cement		
	mortar 1:6- [1C:6S(1.2S+4.8T)]/		
11	1:6- [1C:6S(3S+3T)]/	80.00	Cu m
	1:6-[1C:6S(4.5S+1.5T)] in Superstructure above plinth level and upto floor lavel including levelling up with cement concrete 1:6:12, upto floor level including all complete as per specification and direction of the Engineer-in-Charge. [C-Cement,S-Sand,T-Tailings]		•••

	Providing 15 mm thick cement plaster to a rough side in cement m o r t a r 1:6-[1C:6S(1.2S+4.8T)]/		
12	1:6- [1C:6S(3S+3T)]/	560.00	Sq
	1:6- [1C:6S(4.5S+1.5T)] including scaffolding, raking the joints, backing the surface finishing to correct lines, levels plumb curing as required. [C-Cement,S-Sand,T-Tailings]		m

	Providing and laying 15mm thick cement plaster		
	1:4[1C:		
	(0.8S+3.2T)]/		
	1:4[1C:		
10	(2S+2T)]/	750.00	Sq
13	1:4[1C:(3S+1T)] with a floating coat	750.00	m
	of neat cement punning with		
	redoxided powder all complete as per		
	specification. All materials including		
	cement etc. to be supplied by the		
	contractor.		
	[C-Cement,S-Sand,T-Tailings]		

14	Providing and laying 15 mm thick cement plaster 1:4[1C: (0.8S+3.2T)]/ 1:4[1C: (2S+2T)]/ 1:4[1C:(3S+1T)] with a floating coat of neat cement punning all complete as per specification. [C-Cement,S-Sand,T-Tailings]	100.00	Sq m
15	Providing and laying 12 mm thick cement plaster 1:4[1C: (0.8S+3.2T)]/ 1:4[1C: (2S+2T)]/ 1:4[1C:(3S+1T)] with a floating coat of neat cement punning all complete as per specification. [C-Cement,S-Sand,T-Tailings]	50.00	Sq m
16	Providing and laying 40mm thick cement concrete flooring 1:2:4-[1C:2S(0.4S+1.6T): (4WR)]/ 1:2:4-[1C:2S(1S+1T): (4WR)]/ 1:2:4-[1C:(1.5S+0.5T): (4WR)] finished with a floating coat of neat cement including cement slurry, rounding of edges and strips etc. [C-Cement,S-Sand,T-Tailings,WR-Waste Rock 20mm Size and down]	21.00	Sq m

17	Hire and Labour charges for providing a n d fixing straight shuttering for concrete works to anywhere at any floor (including staging) including strutting, propping etc. and removal of form or striking out after completion of works as directed and specified by the Engineer-in-Charge. a) Foundations, footings, bases of columns plinth beam etc.	210.00	sqm
18	Hire and Labour charges for providing a n d fixing straight shuttering for concrete works to anywhere at any floor (including staging) including strutting, propping etc. and removal of form or striking out after completion of works as directed and specified by the Engineer-in-Charge. a) Centering and shuttering including strutting, propping etc. and removal of form for all heights: Lintels beams, plinth Beams, girders, bressumers and cantilevers	360.00	sqm
19	Providing and laying Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	200.00	kg

20	Providing and fixing factory made ISI marked steel glazed doors, windows and ventilators, side /top /centre hung, with beading and all members such as F7D, F4B, K11 B and K12 B etc. complete of standard rolled steel sections, joints mitred and flash butt welded and sash bars tenoned and riveted, including providing and fixing of hinges, pivots, including priming coat of approved steel primer, but excluding the cost of other fittings, complete all as per approved design, (sectional weight of only steel members shall be measured for payment). Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	200.00	kg
21	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	18.00	sqm

Providing and fixing ISI material oxidised M.S. sliding door bolts nuts and screws etc. complete 300x16 mm	with	Nos
--	------	-----

	,. ,		
23	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 100x10 mm	32.00	Nos
24	Providing and applying white cement based putty of average thickness1 mm, of approved brand and manufacturer, over the lastered wall surface to prepare the surface even and smooth complete.	500.00	sqm
25	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	500.00	sqm
26	White washing with lime to give an even shade: Old work (two or more coats)	270.00	sqm
27	Supply and installation of power distribution board , incomer - 250 Amps, Outgoing - 100 Amps, Make - L & T	1	Nos

28	Laying of 3 $\frac{1}{2}$ Core x 50 sq. mm cable from main PDB to distribution board.	50	Mtr s.
29	Supply and laying of 4 sq. mm standard copper conductor 1.1 KV grade PVC insulated wire, Make - Havell's / Finolex	100	Mtr s.
30	Supply and laying of 1.5 sq. mm standard copper conductor 1.1 KV grade PVC insulated wire , Make - Havell's / Finolex.	300	Mtr s.

31	Supply and laying of 2.0 sq. mm standard copper conductor 1.1 KV grade PVC insulated wire, Make - Havell's / Finolex	300	Mtr s.
32	Supply and installaton of casing caping, of size ½" (Screw fastener required for installation shall be supplied by party).	300	Mtr s.
33	Supply & installation of Philips make indoor and out door tube light fittings (Mirolta classic 40 watt. TMS 510 HF) screw, fastner & Other accesorries as respectively.	20	Nos
34	Supply and installaton of Boards with sunmica top size 6" x 8" complete with 3 piano, switch, socket 7 regulator respectively Make – Anchor	8	Nos

35	Supply & installation of ceiling fan, Make – Usha	6	Nos
36	Supply & installation of 1.5 TR AC, Make - Voltas / LG/Panasonic	3	Nos
37	Supply & installation of MCB and metal socket of capacity 20 amps. Including metal box of IP65 protection, Make- Havells	8	Nos
38	Preparation of earth pit with supply of all material including 3 m long, 3.6 mm thick perforated GI tube (50 mm dia) with salt & charcoat plate (6mm) thick as per IS 3043.	6	Nos

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---