

Rkkj% : hyl rayki Yyh
Cable : UCIL, Tummalapalle

; jfu; e dkjijksku vkkd bM; k fyfeVM rayki Yyh

QkS / Phone : (08588) 282766

(Hkkjr ljdkj dk l bFku)
Mkd?kj% ekotpayki Yyh] vkkd?kz nSk - 516 349

QSI / Fax :

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

P.O. Mabbuchintalapalle,Vemula(M),Pulivendula,Dist: Y.S.R.,Andhra Pradesh - 516 349

i NRkkN / Open Enquiry

Lk es To	<p data-bbox="874 300 1426 363">fykQkQai j ; g l aHkZ fy[kS QUOTE THIS REFERENCE ON THE COVER</p> <p data-bbox="788 384 1392 415">i NRkkN l 0 / Enquiry No. 1/PE210568/1</p> <p data-bbox="788 447 1357 478">Rkkjh[k / Date 05/10/2021</p> <p data-bbox="788 510 1357 541">fu; r rkjh[k / Due Date 09/11/2021</p>
----------	---

egk' k;]
di; k fuEufyf[kr l keku dh i nrZ dsfy, fn, x, gekjsi Udsdnl jh vks vuqSk dsvuqkj viushkko HkSsA viushkko "dz foHkx" dksmi; Or irsij fu; r rkjh[k l si nZ Mkd }kjH HkSsA!
Dear Sir,
Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l 0 Sl.No.	l keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	<p data-bbox="130 846 1165 909">AC Axial Fan, Frame:17Cm, Air flow:180Cm,Rated voltage:220V-240V AC,50HZ. ()</p> <p data-bbox="106 1329 1122 1413">Refer: "Annexure-1" Part-1 (Pre-Qualification part-1), "Annexure-2"NIT Terms & Conditions, Annexure-3 PQC,"Annexure-4" Price Bid format.</p> <p data-bbox="101 1518 1191 1602">Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.</p>	10 No.

vugxud
Enclosures

Hkonh; / Yours faithfully
drs; jfu; e dkjijksku vkkd bM; k fyfeVM
For URANIUM CORPORATION OF INDIA LIMITED

VENKATA NARENDRA.M
ADDL. SUPDT.(I.E./PURCHASE)

