

Rkkj%; Wyl tkngkkl- ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM tkngkkl-
(Hkkjr ljdkj dk l BfkkU)
Mkd?kj% tkngkkl- ekbUl] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353
QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQsi j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 2/PE161423/8

Rkkjh[k / Date 08/02/2017

fu; r rkjh[k / Due Date 08/03/2017

egk' k;]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi l usdsntvjh vls vusksa ds vuokj vi usHko Hk\$A

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	Spares for Mill Hydrocyclone(Primary), Model No:H157AM9,TQP Sl.No:204H939 Equipment No:CP315-4:- Overflow flanged adapter,8" size, Victallic Grooved Conn.,Gum rubber lined steel(Part no.205F-RG-8). Mode of tender:Two part single stage Part-I:Pre Qualification Part Part-II:Techno-commercial cum price part. Other T/C as per annexure attached. ()	4 Number

vugXud

Enclosures

Annexure.

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

AKHIL RAJ

DY. SUPDT. (MECH./Purchase)

vunšk

1 di:k viusnjsval ,oa'kCn eam) r djaA

2 QBI @bZes I sfufonk Lohdkj ughafd; stk, xSA

3 fof/k ekU; rk % Hkko bl i MurkN dh rkjh[k l s120 fnu ; k vf/kd l e; rd fof/kekl; qkspkfg, A

4 | Ei wZc 6 'k d ; fn d k s Z k s r k s v k i d s } k i k o g u f d ; k t k , x k A

5 vnk; xh % gekjsvnx; xh dh 'krZgkxh gekjshk. Mkj ij l kexlx dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads
Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krz% vki }kjk Hks sx, eky xUr0; LFku tknqkkt ujoki kgM+, oarjeMhg ij fu% kqd l opZh dsvk/kkj
ij qsk pkfg, A

7 dj % dj p[ə] mRiknu 'kɔd vkfn dh fuf' pr nj tgmbl yx ; k; gksvyx vyx fn[kkuh p[ɪ]g, vU; Fkk ckn ea
, sh ol fy; kadsnkoka i j fopkj ughaf; k tk, xk tc rd fd ; sfQj l su yxkbZtk; a

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dæz bl eanh xbZi jv ek=k dsfy, vlnšk nasdsfy, ck/;

uqhaqSA ; fn m)-r dher vln'kd ek=k i j ylxvu qksrks, šk fy[kaA

9 ueq % vxj uevba stk, arksfcuk fdl h i zkj dsnsgrsvk\$ blgsufonk nkrk dksyK; k tkuk vko' ; d ugh
qsk A

10 I qz % te'ksig esl dsvkl ikl vofLkr i fvdRrZkadsgkjsHk. Mkj tknqskj ujoki gM+, oarj deMhg
ij
I qzH dshko nsspkfg, A

11 dsk dksdkshh fufonk fcuk dksZdkj.k crk; sjn djsrFkk iMrkN fd; sx, ek=k l sde dsfy, dz vlnsk
nsdk vf/kdkj gSA

12 i pkfyr l jdkjh ifji= dsvudkj i kfkfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/ Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.