

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण/Bid Details                                                                                                                                                                                                    |                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time                                                                                                                                                                             | 11-08-2026 11:00:00                                                                                                                                                                                                                              |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time                                                                                                                                                                            | 11-08-2026 11:30:00                                                                                                                                                                                                                              |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)                                                                                                                                                | 155 (Days)                                                                                                                                                                                                                                       |
| मंत्रालय/राज्य का नाम/Ministry/State Name                                                                                                                                                                                | Pmo                                                                                                                                                                                                                                              |
| विभाग का नाम/Department Name                                                                                                                                                                                             | Department Of Atomic Energy                                                                                                                                                                                                                      |
| संगठन का नाम/Organisation Name                                                                                                                                                                                           | Uranium Corporation Of India Limited                                                                                                                                                                                                             |
| कार्यालय का नाम/Office Name                                                                                                                                                                                              | Jaduguda                                                                                                                                                                                                                                         |
| शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal                                                                                                                                                    | HOD Email id :hodpurchase.ucil@uraniumcorp.in<br>Buyer Email id: civilmill.jad@nic.in                                                                                                                                                            |
| वस्तु श्रेणी /Item Category                                                                                                                                                                                              | Customized AMC/CMC for Pre-owned Products - Annual Civil maintenance works at Jaduguda mill area Quantity based 2027-2028 (02 Year); Civil(Mill)JAD; Comprehensive Maintenance Contract (CMC); Not Applicable; Yes                               |
| अनुबंध अवधि /Contract Period                                                                                                                                                                                             | 2 Year(s)                                                                                                                                                                                                                                        |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover                                                                                                     | No                                                                                                                                                                                                                                               |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover                                                                                              | No                                                                                                                                                                                                                                               |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller                                                                                                                                                             | Experience Criteria,Certificate (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                           |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension                                                                                | 3                                                                                                                                                                                                                                                |

| बिड विवरण/Bid Details                                                                                                             |                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>        | 7                                                                                                                                                                                                                                   |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>                                              | 3                                                                                                                                                                                                                                   |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                | Yes                                                                                                                                                                                                                                 |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule                                                                                  | H1-Highest Priced Bid Elimination                                                                                                                                                                                                   |
| बिड का प्रकार/Type of Bid                                                                                                         | Two Packet Bid                                                                                                                                                                                                                      |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days                                                                                                                                                                                                                              |
| अनुमानित निविदा मूल्य (सभी करों सहित) भारतीय रुपये में / <b>Estimated Bid Value in INR (Inclusive of all taxes)</b>               | 4947540                                                                                                                                                                                                                             |
| <b>Payment Timelines</b>                                                                                                          | Payments shall be made to the Seller within <b>30</b> days of issue of service delivery acceptance certificate (SDAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                | Total value wise evaluation                                                                                                                                                                                                         |
| मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है / <b>Financial Document Indicating Price Breakup Required</b>               | Yes                                                                                                                                                                                                                                 |
| मध्यस्थता खंड/Arbitration Clause                                                                                                  | No                                                                                                                                                                                                                                  |
| सुलह खंड/Mediation Clause                                                                                                         | No                                                                                                                                                                                                                                  |

#### ईएमडी विवरण/EMD Detail

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount       | 49476               |

#### ईपीबीजी विवरण /ePBG Detail

|                                                                   |                     |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 29                  |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से

बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

**लाभार्थी /Beneficiary :**

Chief Manager (A/cs) Works

JADUGUDA, Department of Atomic Energy, URANIUM CORPORATION OF INDIA LIMITED, PMO

(Posi Babu I)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई अनुपालन/MII Compliance**

|                               |     |
|-------------------------------|-----|
| एमआईआई अनुपालन/MII Compliance | Yes |
|-------------------------------|-----|

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                                                                                                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference                                                                                                                                                                 | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$           | 15  |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 100 |

**ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details**

**This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.**

**1. Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within  $L-1+ 15\%$  (Selected

by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

**एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :**

PRICE BID AMC ITEM RATE - [1784609923.xlsx](#)

**अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required**

**Scope of Work:**[1784609817.pdf](#)

**Special Terms and Conditions/Penalty/Payment Terms pertaining to the Bid/Contract:**[1784609820.pdf](#)

**Product/Equipment Details:**[1784609827.pdf](#)

**Financial Breakup Required:**[1784609837.pdf](#)

**Customized AMC/CMC For Pre-owned Products - Annual Civil Maintenance Works At Jaduguda Mill Area Quantity Based 2027-2028 (02 Year); Civil(Mill)JAD; Comprehensive Maintenance Contract (CMC); Not Applicable; Yes ( 1 )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| विवरण/ Specification             | मूल्य/ Values                                                                           |
|----------------------------------|-----------------------------------------------------------------------------------------|
| <b>कोर / Core</b>                |                                                                                         |
| Product category                 | Annual Civil maintenance works at Jaduguda mill area Quantity based 2027-2028 (02 Year) |
| Product Brand                    | Civil(Mill)JAD                                                                          |
| Type of service                  | Comprehensive Maintenance Contract (CMC)                                                |
| Preventive Maintenance Frequency | Not Applicable                                                                          |
| Manpower Required                | Yes                                                                                     |
| <b>एडऑन /Addon(s)</b>            |                                                                                         |

**क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer**

|                                                                            |    |
|----------------------------------------------------------------------------|----|
| क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer | No |
|----------------------------------------------------------------------------|----|

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents****परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                         | संसाधनों की मात्रा<br>/ Quantity of<br>product/<br>equipment | अतिरिक्त आवश्यकता<br>/Additional<br>Requirement                                                                                |
|-------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 1                 | Sulabh Kumar Bais                                             | 832102,AT/PO-JADUGUDA<br>MINES MAIN BUILDING<br>URANIUM CORPORATION OF<br>INDIA LTD | 1                                                            | <ul style="list-style-type: none"><li>Number of months within the contract period for which service is required : 24</li></ul> |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE 25% : The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, the contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration.

For lumpsum-based service contracts, the buyer may increase the scope of work and contract value up to 25 percent with the consent of the service provider

**2. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**"Annual Civil maintenance works at Jaduguda mill area Quantity based 2027-2028 (02 Year)"**

**Estimated amount = Rs. 49,47,540.00 /-**

**Duration of Bid = 24 Months (730 days)**

**Earnest Money Deposit (EMD) (D.D./Banker's cheque only in favour of Uranium Corporation of India Limited Only)**

**EMD Amount = Rs. 49,476.00 /-**

**The eligible criteria to qualify in Techno commercial Part are as below:-**

1) Average Annual financial turnover during the last 3(Three) consecutive financial years e

ending on 31<sup>st</sup> March of the previous financial year shall be at least 30% (14.84 Lakhs) of the estimated cost supported by the audited annual accounts of each year.

2) Bidder shall have successfully completed similar works during last 7 years ending last day of month previous to the one in which bids are invited should be either of the following:

a) Three(3) similar completed works costing not less than the amount equal to 40% (19.79 Lakhs) of the estimated cost.

or

b) Two (2) similar completed works costing not less than the amount equal to 50% (24.73 Lakhs) of the estimated cost.

or

c) One (1) similar completed works costing not less than the amount equal to 80% (39.58 Lakhs) of the estimated cost.

The corporation may request to the bidder to visit the proposed work site to well acquaint about the site work before filling the rate /submit the Bid.

**3) Bidders must attach Work Order and work done certificate mentioned execute d amount and date of completion.**

4) Similar works means **“Experience in execution of work with any Central / State Govt Organization / PSU for Civil Construction work or Civil Maintenance work.”**

#### **5) Scope of work-**

1. Earthwork Excavation for foundation column.
2. Concrete work PCC (1:4:8) and RCC(1:1.5:3).
3. Brick work with common burnt. (1:6) mix.
4. 15 mm Plaster (1:6) ratio.
5. Dismantling of RCC & BrickWork for existing old foundation.
6. All transport vehicles arrange by the contractor.
7. All materials will be supplied by contractor within given time frame by EIC.

Note:-Contractors are advised to see the area get acquainted with the actual features of the land where work is to be executed and get other related information before quoting their rates for carrying out the work successfully.

#### **TECHNICAL SPECIFICATION**

1. All work for civil item shall be carried out as per latest Indian standard, CPWD/ISI and MOST specification which shall form part of this specification and instruction of the Engineer in Charge in case of conflict or where an aspect of work is not covered by the Indian Standard and specification Engineers instruction shall be strictly followed.
2. All the fine and coarse aggregate shall conform to latest IS-383/MOST specification.

#### **6) Penalty-**

Penalty Clause will be applicable for non deployment of manpower for minimum requirement i.e.- at least (Skilled Manpower-01 No and Unskilled Manpower-04 Nos) and it will be imp

used on pro-rata basis for short supply of manpower than desired manpower on man days basis for that month as follows-

- 1) From 130-91 man days in that month – No penalty.
- 2) From 90-51 man days in that month – Penalty will be imposed @ 0.5 % of work done value exclusive of GST of that month except Sunday & Paid Holiday. Penalty will be calculated as per formula mentioned below-  $P = [0.5\% \text{ of } V]$ , Where P-penalty amount in Rs., V- work done value exclusive of GST of that month in Rs.
- 3) From 50-0 man days in that month – Penalty will be imposed @ 1.0 % of work done value exclusive of GST of that month except Sunday & Paid Holiday. Penalty will be calculated as per formula mentioned below-  $P = [0.5\% \text{ of } V]$ , Where P-penalty amount in Rs., V- work done value exclusive of GST of that month in Rs.
- 4) No penalty shall be made in case of strike /stoppage of work/Force Majeure & penalty will not be applicable in this case.

### **7) Labour escalation-**

The Labour wage escalation will be paid taking labour component @30% as per formula mentioned below up to the scheduled completion date including duly approved Time Extension, if any, on the items mentioned in the schedule of the items and rates. No escalation will be attracted for the period beyond duly approved time extension.

$V = [30\% \times (L - L_o)/L_o] \times W$ , Where

V = Extra amount to be paid in Rupees

$L_o$  = Rate of unskilled workmen as Chaibasa as on opening of Bid

L = Rate of unskilled workmen as per ALC (C), Chaibasa for the period under consideration

W = Total Value of work done in Rupees for the period under consideration

**8) Reimbursement cost-** for Safety equipment, Reimbursement will be done as per below- ( Safety shoes- Rs. 500 /-, Safety helmet- Rs. 300/-, Mask – Rs. 50 /- and jacket – Rs. 250/- ). Cost of the same may be reimbursed @every six month per manpower after submission of Original Invoice with RA Bill.

### **9) Poor Response Clause-**

The eligibility be decided strictly based on documents Submitted at the time of receipt of tenders. No additional documents be allowed to be submitted after receipt of tenders, however there is no bar to seek clarification or authentication of submitted documents. However in case of poor response, with a view to increase the competition, admission or additional documents to meet the PQ-Criteria may be allowed subject to condition that-

- a) “Poor response” implies when less than three bids are found suitable on the basis of submitted eligible documents as per NIT.
- b) The additional documents should not be issued subsequent to last date of receipt of tenders as mentioned in NIT.
- c) The bidder submitting additional documents has submitted EMD and tender cost as prescribed in NIT.

**10) Earned Leave with wages Max 15 days per year per manpower is to be paid to all contract worker as per Section 79) Annual leave with wages of Factories Act**

**t 1948 and, No separate payment will be done by the UCIL to contractor for this statutory compliance . Contract or has to consider this fact; accordingly rate may be quoted by contractor.**

**11) Security Deposit /Performance Security-**

In addition to ePBG- 5% as mentioned in GemBid, additional 5 % ePBG as Security deposit shall be applicable. Therefore Total amount of Security deposit shall be limited to 10 % of the awarded value of work. (As per Schedule- F of GCC Page No. 72 of 72 of NIT)

ePBG Detail-

Advisory Bank - State Bank of India

ePBG Percentage - 10.00 %

SD Amount - Rs. 4,94,754.00 /-

Duration of ePBG required - 29 months.

**12) EMD Details -**

Advisory Bank - State Bank of India

EMD Amount - Rs. 49,476.00 /-

**13) Schedule of Quantity -**

| Uranium Corporation Of India Limited                                                             |                                                                                                                                                                                                                                                                                                                                                                            |                     |          |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| SOQ : "Annual Civil maintenance works at Jaduguda mill area Quantity based 2027-2028 (02 Years)" |                                                                                                                                                                                                                                                                                                                                                                            |                     |          |
| S. L. N o.                                                                                       | Description                                                                                                                                                                                                                                                                                                                                                                | Unit of Measurement | Quantity |
| 1                                                                                                | Earth work in excavation in foundation , trenches, road etc. in all soils mixed with gravels, including dressing the sides, trimming and preparing the bed for foundation, de-watering, including refilling the excavated stuff around the foundation, watering, consolidating etc . complete as per drawing, specification and instruction of the EIC. Up to 1.5 m depth. | Cum                 | 550.00   |



|   |                                                                                                                                                                                                                                                                                                                                                                    |     |       |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|
| 2 | Laying plain cement concrete 1:2:4 (1 cement : 2 sand : stone aggregate 20 mm maximum size) for floors, drain, pavement, hard surfacing including loading, unloading, transportation of materials from stock yard to work site. Finishing concrete surface, in line, level, curing, de-watering etc. all complete as per specification and instruction of the EIC. | Cum | 90.00 |
| 3 | 1st class brick work with bricks in foundation and plinth in cement mortar 1:6 (1 cement : 6 sand) to correct, line, level, and plumb including raking out the joints, curing, de-watering, loading, unloading, transporting materials from stock yard to work site etc. all complete as per specification, drawing and directed by EIC.                           | Cum | 90.00 |
| 4 | 1st class brick work with bricks in superstructure at all heights in cement mortar 1:6 (1cement : 6 sand) to correct, line, level, and plumb including raking out the joints, curing, scaffolding, loading, unloading, transporting materials from stock yard to work site. Etc. all complete as per specification, drawing and directed by Engineer-in-charge.    | Cum | 90.00 |

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |         |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------|
| 5 | <p>Laying plain cement concrete 1:11/2 : 3 (1 cement : 1 ½ sand : 3 stone aggregate) for Mill tunion casting and gap filling between iron liner inside Mill shell and leveling &amp; gap filing with concrete inside cone crusher and jaw crusher (conical shape) finishing the concrete surface with 1:3 cement mortar (1 cement : 3 sand) including cleaning the surface removing oily substance, scaffolding, form work , line, level, curing etc. including dismantling the existing concrete, complete in all respect as per the direction of the Engineer-in-charge.</p> <p>( The work shall be carried out during shutdown/break down period at any time on A/B/C or G shift as and when required approx. cement required 3 bags, approx. labour required -4 nos with mas on for 12 to 16 hors. for one time completing the job including idle time.</p> | Each full time operation | 42.00   |
| 6 | <p>Supply and fixing TMT bars of 500D and above for reinforced cement concrete work / brick work including transporting, decoiling, straightening, cutting, derusting, bending, placing in position at all height and binding with binding wire etc. complete as per drawing , specification and instruction of the Engineer-in-charge.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Kgs                      | 3500.00 |
| 7 | <p>12 mm thick cement plaster to all brick / concrete works etc. in walls of surfaces in cement mortar 1:6 (1 cement : 6 sand) including scaffolding , backing the surface , smoothen finishing to correct line level, plumb as required, curing loading, unloading, transportation of materials from stock yard to work site etc. complete at all levels etc. complete as per drawing , specification and instruction of the Engineer-in-charge.</p>                                                                                                                                                                                                                                                                                                                                                                                                           | SQM                      | 4000.00 |
| 8 | <p>Neat Cement Punning (1.5 mm), curing, carriage of water with all leads of lifts.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Sqm                      | 2000.00 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |     |        |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|
| 9  | Laying RCC 1:2:4 (1 cement : 2 sand :4 aggregate) in all foundation plinth level using 20 mm nominal size in foundation, column, footings bases pump foundation , wall etc. including pocketing , grouting, mixing , placing in position compacting curing , loading , unloading transportation of materials, from stock yard to work site, de-watering (excluding the cost of steel reinforcement which will be paid separately)etc . All complete as per specification and drawing or as directed by Engineer-in-charge. | Cum | 90.00  |
| 10 | Laying RCC 1:1½:3 in super structure at any level (1 cement : 2 sand : 4 graded stone aggregate) using 20 mm nominal size including mixing, placing in position, compacting in columns, floors , roofs, lintels, beams, slabs, etc. and including preparing of the top surface, finishing , curing materials from stock yard to work site all complete as per drawing and specification and instruction of the Engineer - in- charge.                                                                                      | Cum | 40.00  |
| 11 | Demolishing (at any level) various grade plain cement concrete/ reinforced cement concrete/ Brick work in foundation, floor etc. and disposal of material and boulder within 3 km lead by department dumper including stacking serviceable materials at site as per instruction of the Engineer-in-charge.                                                                                                                                                                                                                 | Cum | 80.00  |
| 12 | Filling available excavated earth (excluding rock) in plinth, trenches, sides of foundation etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming (allow for brecking up lumps, shrinkage etc.) watering lead up to 50 meter and lift up to 50 meter complete as directed by Engineer-in-charge.                                                                                                                                                                                      | Cum | 140.00 |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|
| 1<br>3 | Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but, excluding cost of reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size).                                                                                                                                                                                       | Cum | 30.00  |
| 1<br>4 | Providing and fixing straight shuttering for concrete works to anywhere at any level (Including staging) including strutting, providing etc. for all type of works. And removing of form or striking out after completion of works as directed and specified by the Engineer-in-charge.                                                                                                                                                                                                                                                                                                             | Sqm | 300.00 |
| 1<br>5 | Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thk with zinc coating not less than 275 gm/m <sup>2</sup> | Sqm | 820.00 |
| 1<br>6 | Providing and fixing on wall face unplastered ridge PVC Rain Water Pipe conforming to IS : 13592 type - A including clamping, bolting, welding, scaffolding etc. as required jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion, including providing bend, tee, shoe, coupler etc. all complete from roof level to ground level.                                                                                                                                                                                                                               | Mtr | 220.00 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|
| 17 | Snowcem painting with water proof cement of required shade Two coats to give an even shade on old work including, scaffolding, curing repairing the plaster surface with cement mortar 1:4 etc. all complete as per specification or as directed by the Engineer-in-charge.                                                                                                                                                                                                                                                                                                   | Sqm | 1400.00  |
| 18 | Providing and fixing factory made ISI marked steel glazed doors & window , ventilators , side / top/centre hung , with breading and all members such as F 7D , F4B , K11 B and K12 B etc. complete of standard rolled steel sections , joints mitred and flash butt welded and sash bars tenoned and riveted , including providing and fixing of hinges , pivots , including priming coat of approved steel primer , but excluding the cost of other fittings , complete all as per approved design , (sectional weight of only steel members shall be measured for payment). | Kgs | 600.00   |
| 19 | Renewing glass panes, with putty and nails wherever necessary including racking out the old putty, Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)                                                                                                                                                                                                                                                                                                                                                                                                | Sqm | 140.00   |
| 20 | White washing with lime on old work Two coats to give an even shade for walls, ceiling etc. at all height including scaffolding cleaning sand papering the surface adding gum, blue etc. complete as per specification and instruction of EIC.                                                                                                                                                                                                                                                                                                                                | Sqm | 1500.00  |
| 21 | Jungle clearance including weeding out shrubs and small tree and their removal as per direction of EIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Sqm | 27500.00 |
| 22 | Providing and fixing white vitreous china water closet squatting pan(Indian type) : Long pattern W.C. pan of size 580 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Nos | 4.00     |

|        |                                                                                                                                                                                                                                                                                                                              |     |       |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|
| 2<br>3 | Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures. 10 litre capacity - White                                                                                                                                     | Nos | 4.00  |
| 2<br>4 | Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.                                                                                                                                                                    | Nos | 4.00  |
| 2<br>5 | Providing and fixing wash basin with C. I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good walls wherever req, White Vitreous China Angle back wash basin size 400 x 400 mm with single 15 mm C.P. brass pillar tap | Nos | 4.00  |
| 2<br>6 | Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc                                                                        | Nos | 7.00  |
| 2<br>7 | Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete. 125x63x4 mm.                                                                                                  | Nos | 27.00 |
| 2<br>8 | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete. 300x10 mm or 150 x 10                                                                                    | Nos | 54.00 |
| 2<br>9 | Providing and fixing brass bib cock of approved quality :15 mm / 20 mm nominal bore                                                                                                                                                                                                                                          | Nos | 54.00 |
| 3<br>0 | Providing and fixing brass stop cock of approved quality :15 mm /20 mm nominal bore                                                                                                                                                                                                                                          | Nos | 54.00 |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                        |     |         |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------|
| 3<br>1 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 15 mm / 20 mm / 25 mm nominal outer dia Pipes | Mtr | 210.00  |
| 3<br>2 | Renewal of old putty of glass panes (length)                                                                                                                                                                                                                                                                                                                                                                                           | Mtr | 700.00  |
| 3<br>3 | Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade, 2 or more coats on new work                                                                                                                                                                                                                                                                                                         | Sqm | 260.00  |
| 3<br>4 | Supplying and fixing Multi purpose fibre (high impact poly propylene reinforced) cement with polymer coated J or L hooks bolts and nuts 8mm dia. GI plain and bitumen washers or with self drilling fastener, board 8 mm thick                                                                                                                                                                                                         | Sqm | 70.00   |
| 3<br>5 | Providing and fixing ball valve (brass) of app. quality, High or low pressure, with plastic floats complete, 15 mm / 20 mm / 25 mm nominal bore                                                                                                                                                                                                                                                                                        | Nos | 80.00   |
| 3<br>6 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of EIC, Made of G.I. wire of dia 4 mm                                                                                                                                                                                      | Sqm | 150.00  |
| 3<br>7 | Laying of armored telephone cable one or more in a same trench by excavating trench in all type of soil of 400 mm width and 750 mm depth including protecting the cable by laying of bricks both side of the cable and filling the sand in between the bricks including laying one layer of bricks over the sand filling the trenches with available excavated earth, ramming and dressing complete or as directed by EIC.             | Mtr | 1000.00 |

3. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

URANIUM CORPORATION OF INDIA LIMITED  
payable at  
JADUGUDA

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

URANIUM CORPORATION OF INDIA LIMITED  
Account No.  
33135840169  
IFSC Code  
SBIN0000227  
Bank Name  
STATE BANK OF INDIA  
Branch address  
JADUGUDA

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

6. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

URANIUM CORPORATION OF INDIA LIMITED  
payable at  
JADUGUDA

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

URANIUM CORPORATION OF INDIA LIMITED  
Account No.  
33135840169  
IFSC Code  
SBIN0000227  
Bank Name  
STATE BANK OF INDIA  
Branch address  
JADUGUDA

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.



## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The**

**Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**